

**food**  
network  
magazine



GIADA'S  
CAPRESE  
PASTA



REE'S  
GRILLED  
ZUCCHINI



MICHAEL'S  
CHORIZO  
BURGER



# easy Summer cooking

**BIG  
\$250,000  
KITCHEN  
GIVEAWAY!**



STRAWBERRY  
LEMONADE  
PIE

**113**  
Recipes  
ANYONE CAN  
MAKE!

A NEW WAY TO  
**Grill  
Chicken**

.....  
**Create Your  
Own Salsa**

.....  
**The Best  
Spice for  
Everything**  
(You already have it!)

JULY/AUG 2019 \$4.99  
08181  
0 273561 4 08>

Brief Summary of Important Patient Information about DUPIXENT® (dupilumab) Rx Only  
(DU-pix'-ent)  
injection, for subcutaneous use

**What is DUPIXENT?**

- DUPIXENT is a prescription medicine used:
  - to treat people aged 12 years and older with moderate-to-severe atopic dermatitis (eczema) that is not well controlled with prescription therapies used on the skin (topical), or who cannot use topical therapies. DUPIXENT can be used with or without topical corticosteroids.
  - with other asthma medicines for the **maintenance treatment of moderate-to-severe asthma** in people aged 12 years and older whose asthma is not controlled with their current asthma medicines. DUPIXENT helps prevent severe asthma attacks (exacerbations) and can improve your breathing. DUPIXENT may also help reduce the amount of oral corticosteroids you need while preventing severe asthma attacks and improving your breathing.
- DUPIXENT works by blocking two proteins that contribute to a type of inflammation that plays a major role in atopic dermatitis and asthma.
- DUPIXENT is not used to treat sudden breathing problems
- It is not known if DUPIXENT is safe and effective in children with atopic dermatitis under 12 years of age.
- It is not known if DUPIXENT is safe and effective in children with asthma under 12 years of age.

**Who should not use DUPIXENT?**

**Do not use DUPIXENT** if you are allergic to dupilumab or to any of the ingredients in DUPIXENT. See the end of this summary of information for a complete list of ingredients in DUPIXENT.

**What should I tell my healthcare provider before using DUPIXENT?**  
**Before using DUPIXENT, tell your healthcare provider about all your medical conditions, including if you:**

- have eye problems (if you also have atopic dermatitis)
- have a parasitic (helminth) infection
- are taking oral, topical, or inhaled corticosteroid medicines. **Do not** stop taking your corticosteroid medicines unless instructed by your healthcare provider. This may cause other symptoms that were controlled by the corticosteroid medicine to come back.
- are scheduled to receive any vaccinations. You should not receive a "live vaccine" if you are treated with DUPIXENT.
- are pregnant or plan to become pregnant. It is not known whether DUPIXENT will harm your unborn baby.

**Pregnancy Registry.** There is a pregnancy registry for women who take DUPIXENT during pregnancy. The purpose of this registry is to collect information about your health and your baby's health. You can talk to your healthcare provider or contact 1-877-311-8972 or go to <https://mothertobaby.org/ongoing-study/dupixent/> to enroll in this registry or get more information.

- are breastfeeding or plan to breastfeed. It is not known whether DUPIXENT passes into your breast milk.

Tell your healthcare provider about all of the medicines you take including prescription and over-the-counter medicines, vitamins, and herbal supplements. If you have asthma and are taking asthma medicines, do not change or stop your asthma medicine without talking to your healthcare provider.

**How should I use DUPIXENT?**

- See the detailed "Instructions for Use" that comes with DUPIXENT for information on how to prepare and inject DUPIXENT and how to properly store and throw away (dispose of) used DUPIXENT pre-filled syringes.
- Use DUPIXENT exactly as prescribed by your healthcare provider.
- DUPIXENT comes as a single-dose pre-filled syringe with needle shield.
- DUPIXENT is given as an injection under the skin (subcutaneous injection).
- If your healthcare provider decides that you or a caregiver can give the injections of DUPIXENT, you or your caregiver should receive training on the right way to prepare and inject DUPIXENT. **Do not** try to inject DUPIXENT until you have been shown the right way by your healthcare provider. In adolescents 12 years of age and older, it is recommended that DUPIXENT be administered by or under supervision of an adult.
- If you miss a dose of DUPIXENT, give the injection within 7 days from the missed dose, then continue with the original schedule. If the missed dose is not given within 7 days, wait until the next scheduled dose to give your DUPIXENT injection.
- If you inject more DUPIXENT than prescribed, call your healthcare provider right away.

- Your healthcare provider may prescribe other medicines to use with DUPIXENT. Use the other prescribed medicines exactly as your healthcare provider tells you to.
- Stop using DUPIXENT and tell your healthcare provider or get emergency help right away if you get any of the following symptoms: breathing problems, fever, general ill feeling, swollen lymph nodes, swelling of the face, mouth and tongue, hives, itching, fainting, dizziness, feeling lightheaded (low blood pressure), joint pain, or skin rash.

**What are the possible side effects of DUPIXENT?**  
**DUPIXENT can cause serious side effects, including:**

- **Allergic reactions (hypersensitivity), including a severe reaction known as anaphylaxis.** Stop using DUPIXENT and tell your healthcare provider or get emergency help right away if you get any of the following symptoms: breathing problems, fever, general ill feeling, swollen lymph nodes, swelling of the face, mouth and tongue, hives, itching, fainting, dizziness, feeling lightheaded (low blood pressure), joint pain, or skin rash.
- **Eye problems.** If you have atopic dermatitis, tell your healthcare provider if you have any new or worsening eye problems, including eye pain or changes in vision.
- **Inflammation in your blood vessels:** Rarely, this can happen in people with asthma who receive DUPIXENT. This may happen in people who also take a steroid medicine by mouth that is being stopped or the dose is being lowered. It is not known whether this is caused by DUPIXENT. Tell your healthcare provider right away if you have: rash, shortness of breath, persistent fever, chest pain, or a feeling of pins and needles or numbness of your arms or legs.

**The most common side effects of DUPIXENT include:** injection site reactions, pain in the throat (oropharyngeal pain) and cold sores in your mouth or on your lips. Eye and eyelid inflammation, including redness, swelling and itching have been seen in patients who have atopic dermatitis. Tell your healthcare provider if you have any side effect that bothers you or that does not go away. These are not all of the possible side effects of DUPIXENT. Call your doctor for medical advice about side effects. You may report side effects to FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch), or call 1-800-FDA-1088.

**General information about the safe and effective use of DUPIXENT.**

Medicines are sometimes prescribed for purposes other than those listed in a Patient Information leaflet. Do not use DUPIXENT for a condition for which it was not prescribed. Do not give DUPIXENT to other people, even if they have the same symptoms that you have. It may harm them.

This is a summary of the most important information about DUPIXENT. If you would like more information, talk with your healthcare provider. You can ask your pharmacist or healthcare provider for more information about DUPIXENT that is written for healthcare professionals.

For more information about DUPIXENT, go to [www.DUPIXENT.com](http://www.DUPIXENT.com) or call 1-844-DUPIXENT (1-844-387-4936)

**What are the ingredients in DUPIXENT?**

**Active ingredient:** dupilumab

**Inactive ingredients:** L-arginine hydrochloride, L-histidine, polysorbate 80, sodium acetate, sucrose, and water for injection

Manufactured by: Regeneron Pharmaceuticals, Inc., Tarrytown, NY 10591  
U.S. License # 1760; Marketed by sanofi-aventis U.S. LLC, (Bridgewater, NJ 08807) and Regeneron Pharmaceuticals, Inc. (Tarrytown, NY 10591)  
DUPIXENT is a registered trademark of Sanofi Biotechnology / ©2019 Regeneron Pharmaceuticals, Inc. / sanofi-aventis U.S. LLC. All rights reserved.  
Issue Date: March 2019

US-DAD-14946(1)

PROMOTION

# news feed

foodnetmag.com

@foodnetmagpromo  
@foodnetworkmagpromo



**STAY IN + DINE OUT**

Take your cooking game outside with this Food Network™ Pre-Seasoned Cast-Iron Skillet. With a sturdy cast-iron construction, it's perfect for the oven, grill or even over a campfire.



**DINING OUT JUST GOT REDEFINED**

Add a touch of elegance to your outdoor setup with this Food Network™ Angelica 16-pc. Dinnerware Set. Featuring a textured design with metallic accent pieces, this stoneware set is both durable and timeless.

Want to cook up something delicious? Shop the full collection at: [kohls.com/foodnetwork](http://kohls.com/foodnetwork)



**GRILLING INSPIRASIAN\***

Want to add sweet-savory Asian appeal to whatever you're grilling? Kikkoman® Teriyaki Marinade & Sauce is the simple secret. Get recipes and delicious InspirAsians at [KikkomanUSA.com](http://KikkomanUSA.com)



**RED GOLD FROM EUROPE. THE ART OF PERFECTION, PRESERVED FOR ALL TASTES.**

European canned tomatoes come from fertile land, rich in culture, picked at peak. Mother Nature at her finest!

Discover more: [redgoldfromeurope.com](http://redgoldfromeurope.com)



**SLIDE INTO SUMMER GRILLING**

Make your summer grilling irresistible with KING'S HAWAIIAN® Sweet Hamburger Buns, Hot Dog Buns and Rolls. For recipes and grilling tips, go to [slideintosummergrilling.com](http://slideintosummergrilling.com)



For a chance to win monthly prizes, visit [travel.foodnetmag.com](http://travel.foodnetmag.com)